

WINDOWS®. LIFE WITHOUT WALLS™.
FUJITSU RECOMMENDS WINDOWS 7.

DATASHEET

FUJITSU CELSIUS W280 proGREEN selection WORKSTATION

WORKSTATION POWER, PC FORMAT

The CELSIUS W280 is the manageable workstation for when a traditional PC just isn't enough. Powered by the latest Intel® processors and available with choice of professional graphics cards, it provides power efficient, green workstation performance in a compact PC design and is ideal for business environments such as entry-level 2D CAD.

EXTREMELY POWERFUL WORKSTATIONS

Get more done in less time

- The fastest available processors, graphics cards and hard disk drives

NOISE-REDUCED SYSTEM

Silent working environment

- Optimized thermal management, low-noise chassis and silent fans

SERVICEABILITY



Minimum downtime in the event of system failure

- Service-friendly system design

LEADING WORKSTATION APPLICATION CERTIFICATION

Maximum compatibility and performance with customer-preferred applications

- Full support for ISV applications and easy integration into existing IT environments



COMPONENTS

PROCESSOR	Intel® Core™ i7 processor i7-870 (4C/8T, 2.93 GHz, 8 MB)
OPERATING SYSTEM Operating system optional preinstalled	Windows® 7 Professional 64-bit
MEMORY MODULES	4 GB (2 module(s) 2 GB) DDR3, unbuffered, non-ECC, 1333 MHz, PC3-10600, DIMM
GRAPHICS ADD ON CARD	Entry 3D: ATI FirePro™ V3800, 512 MB DDR3, PCIe x16, 2x DL-DVI-I
HARD DISK DRIVE (INTERNAL)	SATA II, 7200 rpm, 500 GB, 3.5-inch, S.M.A.R.T.
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. 2.5-inch drives will be mounted in the 3.5-inch bays
DRIVES	DVD Super Multi MultiCard Reader 20in1, 3,5-Inch
Base unit	CELSIUS W280
MAINBOARD	
Mainboard type	D2912
Formfactor	µBTX
Chipset	Intel® Q57
Processor socket	LGA 1156
Processor quantity maximum	1
Memory slots	4 DIMM (DDR3)
Supported capacity RAM (max.)	16 GB
Memory frequency	1333 MHz
Memory notes	In configurations with 4 GB and more the visible memory may be reduced to approximately 3.5 GB or less (for 32-bit operating systems) and configurations with 8 GB the visible memory may be reduced to approximately 7.5 GB or less (depending on system configuration).
LAN	Built-in 10/100/1000 MBit/s Intel® 82578 LM
WLAN	Optional (for Windows only)
Audio codec	Realtek ALC663
Audio features	5.1 surround sound, High Definition audio, Internal speaker supports audio playback
I/O CONTROLLER	
Serial ATA total	4
thereof eSATA	1, optional
SATA RAID support	0, 1, 10, 5
INTERFACES	
Audio: in (rear)	2
Audio: out (rear)	1
Front Audio: in	1
Front Audio: out	1
Internal speakers	1
USB 2.0 total	12
USB front	2
USB rear	8
USB internal	2
VGA	1 (depends on processor)
DisplayPort	1 (depends on processor)
DVI	1 or 2, optional (depends on processor)
Serial (RS-232)	1, (9 pin)
Mouse / Keyboard (PS/2)	2
Ethernet (RJ-45)	1
Parallel	1, optional
eSATA	1, optional
Interface Module notes	Anytime USB charge functionality
DRIVE BAYS	
Drive bays total	6

DRIVE BAYS

3.5-inch internal bays	2
3.5-inch external bays	2
5.25-inch external bays	2

SLOTS

PCI-Express 2.0 x16	1 x (312 mm) FlexySlot
PCI-Express 2.0 x4 (mech. x16)	1 x (190 mm) full height
PCI (32-bit / 33 MHz)	2 x (170/315 mm) full height

ELECTRICAL VALUES

Rated voltage range	100 - 240 V
Rated frequency range	50 - 60 Hz
Max. output of single power supply	300 W

NOISE FOR STANDARD CONFIGURATION (HDD, ODD, FDD)

Noise emission	According to ISO9296 (LpAm at bystander position)
Idle mode	20 dB
Office mode	20 dB(A)
Noise notes / description	Actual noise emissions may vary depending on configuration

DIMENSIONS / WEIGHT / ENVIRONMENTAL

Dimensions (W x D x H)	203 x 390 x 392 mm
Operating position	Vertical
Weight	12 kg
Weight notes	Actual weight may vary depending on configuration
Operating ambient temperature	15 - 35°C
Operating relative humidity	10 - 75 %

COMPLIANCE

Product	CELSIUS W280
Model	MTB-D2912
Germany	GS optional Blauer Engel / Blue Angel optional
Europe	CE
USA/Canada	FCC Class B cCSAus
Global	RoHS (EU & China) ENERGY STAR® 5.0 Medical EMC standard IEC60601-1-2 in combination with medical kit
Compliance notes	Energy Star compliance may vary depending on actual configuration
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx

SECURITY

Physical security	Kensington Lock support Eye for padlock Seal option Intrusion switch Optional: Integrated cabinet lock
System security	Write protect option for the Flash EPROM Embedded security (TPM 1.2) Disable / Hide TPM option
User security	Hard disk password User and supervisor BIOS password Optional: Access protection via SmartCard reader Optional: SmartCase Logon+

OPERATING SYSTEM

Operating system compatible	Microsoft® Windows Vista® Business 64-bit Microsoft® Windows Vista® Business 32-bit Linux
-----------------------------	---

OPERATING SYSTEM

Operating system notes	Red Hat® certification pending Novell® certification pending For some configurations third party drivers are currently not available or configuration restrictions may apply.
-------------------------------	---

ADDITIONAL SOFTWARE

Additional software (optional)	Drivers & Utilities DVD (DUDVD) Windows® 7 & Vista & XP Recovery DVD
---------------------------------------	---

Additional software (included as a CD/DVD)	Norton Internet Security (incl. Firewall)
---	---

MANAGEABILITY

Manageability features	Intel® vPro™ technology iAMT Intel® Active Manageability Technology v6.0 (not activated, not set up) Wake-on-LAN
-------------------------------	--

Manageability type	DeskView 10
---------------------------	-------------

Manageability link	http://ts.fujitsu.com/manageability
---------------------------	---

INPUT DEVICE / COMPONENTS

	Optical USB tilt wheel mouse
Input devices (optional)	Optical USB/PS2 tilt wheel mouse Space Explorer USB Space Navigator USB Space Pilot USB Keyboard

WARRANTY

Standard Warranty	3 years (depending on country)
--------------------------	--------------------------------

Service level	On-site Service (depending on country)
----------------------	--

MAINTENANCE AND SUPPORT SERVICES - THE PERFECT EXTENSION

Recommended Service	5x9, Response Time: Next Business Day
----------------------------	---------------------------------------

Service Weblink	http://ts.fujitsu.com/Supportservice
------------------------	---

FUJITSU PLATFORM SOLUTIONS

In addition to Fujitsu CELSIUS W280, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

MORE INFORMATION

Learn more about Fujitsu CELSIUS W280, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. <http://ts.fujitsu.com/celsius>

FUJITSU GREEN POLICY INNOVATION

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT. Please find further information at <http://www.fujitsu.com/global/about/environment/>



COPYRIGHTS

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions

DISCLAIMER

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

CONTACT

FUJITSU Technology Solutions
Website: <http://ts.fujitsu.com>
2010-10-13 CE-EN