

M2N-SLI Deluxe

Die folgende Tabelle zeigt die Unterstützung für CPU/Motherboard

CPU	PCB seit	BIOS seit	Hinweis
Athlon 64 3000+ (CN),512K,rev.F2,62W,SocketAM2	ALL	0201 	
Athlon 64 3200+ (CN),512K,rev.F2,62W,SocketAM2	ALL	0201 	
Athlon 64 3200+ (DE),512K,rev.G,45W,SocketAM2	ALL	0801 	
Athlon 64 3500+ (CN),512K,rev.F2,62W,SocketAM2	ALL	0201 	
Athlon 64 3500+ (CW),512K,rev.F2,62W,SocketAM2	ALL	0201 	
Athlon 64 3500+ (DE),512K,rev.G,45W,SocketAM2	ALL	0801 	
Athlon 64 3500+ (DH),512K,rev.F3,62W,SocketAM2	ALL	0801 	
Athlon 64 3800+ (CN),512K,rev.F2,62W,SocketAM2	ALL	0201 	
Athlon 64 3800+ (CW),512K,rev.F2,62W,SocketAM2	ALL	0307 	
Athlon 64 3800+ (DE),512K,rev.G,45W,SocketAM2	ALL	0801 	
Athlon 64 3800+ (DH),512K,rev.F3,62W,SocketAM2	ALL	0903 	
Athlon 64 4000+ (CW),512K,rev.F2,59W,SocketAM2	ALL	0609 	
Athlon 64 4000+ (DH),512K,rev.F3,62W,SocketAM2	ALL	0801 	
Athlon 64 FX-62 (CS),1MBx2,rev.F2,125W,SocketAM2	ALL	0201 	
Athlon 64 LE-1600+ (DH),1M,rev.F3,45W,SocketAM2	ALL	1203 	
Athlon 64 LE-1620+ (DH),1M,rev.F3,45W,SocketAM2	ALL	1203 	
Athlon 64 LE-1640+ (DH),1M,rev.F3,45W,SocketAM2	ALL	1203 	
Athlon 64 LE-1640+ (DP),512K,rev.G2,45W,SocketAM2	ALL	1302 	
Athlon 64 LE-1660+ (DP),512K,rev.G2,45W,SocketAM2	ALL	1404 	beta
Athlon 64 X2 3600+ (CU),512K,65W,rev.F2,SocketAM2	ALL	0307 	
Athlon 64 X2 3600+ (DD),1MB,65W,rev.G,SocketAM2	ALL	0609 	

Athlon 64 X2 3800+ (CS),512Kx2,65W,rev.F2,SocketAM2	ALL	0603 	
Athlon 64 X2 3800+ (CU),512Kx2,35W,rev.F2,SocketAM2	ALL	0307 	
Athlon 64 X2 3800+ (CU),512Kx2,65W,rev.F2,SocketAM2	ALL	0203 	
Athlon 64 X2 3800+ (CU),512Kx2,rev.F2,89W,SocketAM2	ALL	0201 	
Athlon 64 X2 3800+ (CZ),512Kx2,65W,rev.F3,SocketAM2	ALL	0502 	
Athlon 64 X2 4000+ (CS),1MBx2,rev.F2,65W,SocketAM2	ALL	0307 	
Athlon 64 X2 4000+ (CS),1MBx2,rev.F2,89W,SocketAM2	ALL	0201 	
Athlon 64 X2 4000+ (DD),1MB,rev.G,65W,SocketAM2	ALL	0609 	
Athlon 64 X2 4200+ (CU),512Kx2,rev.F2,65W,SocketAM2	ALL	0307 	
Athlon 64 X2 4200+ (CU),512Kx2,rev.F2,89W,SocketAM2	ALL	0201 	
Athlon 64 X2 4200+ (DD),512Kx2,rev.G1,65W,SocketAM2	ALL	1201 	
Athlon 64 X2 4200+ (DO),512Kx2,rev.G2,65W,SocketAM2	ALL	1203 	
Athlon 64 X2 4400+ (CS),1MBx2,65W,rev.F2,SocketAM2	ALL	0307 	
Athlon 64 X2 4400+ (CS),1MBx2,rev.F2,89W,SocketAM2	ALL	0201 	
Athlon 64 X2 4400+ (DD),1MB,rev.G,65W,SocketAM2	ALL	0609 	
Athlon 64 X2 4400+ (DO),1MB,rev.G2,65W,SocketAM2	ALL	1201 	
Athlon 64 X2 4600+ (CU),512Kx2,rev.F2,65W,SocketAM2	ALL	0307 	
Athlon 64 X2 4600+ (CU),512Kx2,rev.F2,89W,SocketAM2	ALL	0201 	
Athlon 64 X2 4600+ (CZ),1MB,rev.F3,65W,SocketAM2	ALL	0903 	
Athlon 64 X2 4600+ (DO),1M,rev.G2,65W,SocketAM2	ALL	1404 	beta
Athlon 64 X2 4800+ (CS),1MBx2,rev.F2,65W,SocketAM2	ALL	0307 	
Athlon 64 X2 4800+ (CS),1MBx2,rev.F2,89W,SocketAM2	ALL	0201 	
Athlon 64 X2 4800+ (DD),1MB,rev.G,65W,SocketAM2	ALL	0609 	
Athlon 64 X2 4800+ (DO),1MB,rev.G2,65W,SocketAM2	ALL	1201 	

Athlon 64 X2 5000+ (CS),1MB,rev.F2,89W,SocketAM2	ALL	0503 	
Athlon 64 X2 5000+ (CU),512Kx2,rev.F2,89W,SocketAM2	ALL	0201 	
Athlon 64 X2 5000+ (CZ),1MB,rev.F3,65W,SocketAM2	ALL	1102 	
Athlon 64 X2 5000+ (CZ),1MB,rev.F3,89W,SocketAM2	ALL	0609 	
Athlon 64 X2 5000+ (DD),1MB,rev.G,65W,SocketAM2	ALL	0609 	
Athlon 64 X2 5000+ (DO),1MB,rev.G2,65W,SocketAM2	ALL	1201 	
Athlon 64 X2 5000+ (DS),1MB,rev.G2,65W,SocketAM2	ALL	1203 	
Athlon 64 X2 5200+ (CS),1MBx2,rev.F2,89W,SocketAM2	ALL	0503 	
Athlon 64 X2 5200+ (CZ),2MB,rev.F3,65W,SocketAM2	ALL	0903 	
Athlon 64 X2 5200+ (CZ),2MB,rev.F3,89W,SocketAM2	ALL	0609 	
Athlon 64 X2 5200+ (DD),1MB,rev.G,65W,SocketAM2	ALL	0407 	
Athlon 64 X2 5200+ (DO),1MB,rev.G2,65W,SocketAM2	ALL	1201 	
Athlon 64 X2 5400+ (CZ),1M,rev.F3,89W,SocketAM2	ALL	0609 	
Athlon 64 X2 5400+ (DO),1M,rev.G2,65W,SocketAM2	ALL	1403 	
Athlon 64 X2 5600+ (CZ),2MB,rev.F3,89W,SocketAM2	ALL	0609 	
Athlon 64 X2 6000+ (CZ),2MB,rev.F3,125W,SocketAM2	ALL	0702 	
Athlon 64 X2 6000+ (CZ),2MB,rev.F3,89W,SocketAM2	ALL	1102 	
Athlon 64 X2 6000+ (DO),1MB,rev.G2,89W,SocketAM2	ALL	1502 	
Athlon 64 X2 6400+ (CZ),2MB,rev.F3,125W,SocketAM2	ALL	1102 	
Athlon X2 4050e (DO),1M,rev.G2,45W,SocketAM2	ALL	1404 	beta
Athlon X2 4450e (DO),1M,rev.G2,45W,SocketAM2	ALL	1404 	
Athlon X2 4850e (DO),1M,rev.G2,45W,SocketAM2	ALL	1404 	beta
Athlon X2 BE-2300 (DD),1M,45W,rev.G1,SocketAM2	ALL	1003 	
Athlon X2 BE-2300 (DO),1M,45W,rev.G2,SocketAM2	ALL	1203 	

Athlon X2 BE-2350 (DD), 1M, 45W, rev. G1, SocketAM2	ALL	1003 	
Athlon X2 BE-2350 (DO), 1M, 45W, rev. G2, SocketAM2	ALL	1203 	
Athlon X2 BE-2400 (DO), 1M, 45W, rev. G2, SocketAM2	ALL	1203 	
Opteron 1212, 2.00G, 2M/L2, rev.F3, 103W, SocketAM2	ALL	0801 	
Opteron 1212HE, 2.00G, 2M/L2, rev.F3, 65W, SocketAM2	ALL	0801 	
Opteron 1214, 2.20GHz, 2M/L2, rev.F3, 103W, SocketAM2	ALL	0801 	
Opteron 1216, 2.40G, 2M/L2, rev.F2, SocketAM2	ALL	0801 	
Opteron 1216, 2.40G, 2M/L2, rev.F3, 103W, SocketAM2	ALL	0801 	
Opteron 1218, 2.60G, 2M/L2, rev.F3, 103W, SocketAM2	ALL	0801 	
Opteron 1220, 2.80G, 2M/L2, rev.F3, 103W, SocketAM2	ALL	0801 	
Opteron 1220SE, 2.80G, 2M/L2, rev.F2, SocketAM2	ALL	0605 	
Phenom X3 8400 (HD8400WCJ3BGD), 2.1GHz, rev. B2, 95W, SocketAM2+, Triple-Core	ALL	1404 	
Phenom X3 8450 (HD8450WCJ3BGH), 2.1GHz, rev. B3, 95W, SocketAM2+, Triple-Core	ALL	1502 	
Phenom X3 8600 (HD8600WCJ3BGD), 2.3GHz, 95W, rev. B2, SocketAM2+, Triple-Core	ALL	1404 	
Phenom X3 8650 (HD8650WCJ3BGH), 2.3GHz, 95W, rev. B3, SocketAM2+, Triple-Core	ALL	1502 	
Phenom X3 8750 (HD8750WCJ3BGH), 2.4GHz, rev. B3, 95W, SocketAM2+, Triple-Core	ALL	1502 	
Phenom X4 9100e (HD9100OBJ4BGD), 1.8GHz, 65W, rev. B2, SocketAM2+, Quad-Core	ALL	1404 	
Phenom X4 9150e (HD9150ODJ4BGH), 1.8GHz, 65W, rev. B3, SocketAM2+, Quad-Core	ALL	1502 	
Phenom X4 9350e (HD9350ODJ4BGH), 2.0GHz, 65W, rev. B3, SocketAM2+, Quad-Core	ALL	1502 	
Phenom X4 9500 (HD9500WCJ4BGD), 2.2GHz, rev. B2, 95W, SocketAM2+, Quad-Core	ALL	1302 	
Phenom X4 9550 (HD9550WCJ4BGH), 2.2GHz, rev. B3, 95W, SocketAM2+, Quad-Core	ALL	1502 	
Phenom X4 9600 (HD9600WCJ4BGD), 2.3GHz, 95W, rev. B2, SocketAM2+, Quad-Core	ALL	1302 	

Phenom X4 9650 (HD9650WCJ4BGH),2.3GHz,95W,rev.B3,SocketAM2+,Quad-Core	ALL	1502 	
Phenom X4 9750 (HD9750WCJ4BGH),2.4GHz,95W,rev.B3,SocketAM2+,Quad-Core	ALL	1502 	
Phenom X4 9750 (HD9750XAJ4BGH),2.4GHz,125W,rev.B3,SocketAM2+,Quad-Core	ALL	1502 	
Phenom X4 9850 (HD985ZXAJ4BGH),2.5GHz,125W,rev.B3,SocketAM2+,Quad-Core	ALL	1502 	
Sempron 2100+ (DD),512K,rev.G1,65W,SocketAM2	ALL	1404 	
Sempron 2100+ (DO),512K,rev.G2,65W,SocketAM2	ALL	1404 	
Sempron 2800+ (CN),128K,rev.F2,62W,SocketAM2	ALL	0201 	
Sempron 3000+ (CN),256K,rev.F2,62W,SocketAM2	ALL	0201 	
Sempron 3200+ (CN),128K,rev.F2,62W,SocketAM2	ALL	0201 	
Sempron 3200+ (CW),256K,rev.F2,62W,SocketAM2	ALL	0201 	
Sempron 3400+ (CN),256K,rev.F2,62W,SocketAM2	ALL	0201 	
Sempron 3400+ (CW),256K,rev.F2,62W,SocketAM2	ALL	0201 	
Sempron 3500+ (CN),128K,rev.F2,62W,SocketAM2	ALL	0201 	
Sempron 3600+ (CN),256K,rev.F2,62W,SocketAM2	ALL	0201 	
Sempron 3600+ (CW),256K,rev.F2,62W,SocketAM2	ALL	1003 	
Sempron 3800+ (CN),256K,rev.F2,62W,SocketAM2	ALL	0201 	
Sempron LE-1100 (DE),256K,rev.G1,45W,SocketAM2	ALL	1102 	
Sempron LE-1150 (DE),256K,rev.G1,45W,SocketAM2	ALL	1102 	
Sempron LE-1200 (DE),512K,rev.G2,45W,SocketAM2	ALL	1203 	
Sempron LE-1250 (DP),512K,rev.G2,45W,SocketAM2	ALL	1203 	
Sempron LE-1300 (DP),512K,rev.G2,45W,SocketAM2	ALL	1203 	