- DESKTOP-UUM0EUL (LENOVO Lenovo G570)
  - Netzwerk
    - Computername DESKTOP-UUM0EUL
    - Arbeitsgruppenname WORKGROUP
    - Anmeldeserver \\MicrosoftAccount
  - Windows Sockets
    - Anschluss Version 2.0
    - Höchste Version 2.2
    - Beschreibung WinSock 2.0
    - Systemstatus Running
  - Network Interface 1
    - Freundschafts Name Ethernet
    - Modell PCI-E-Fast-Ethernet-Controller Qualcomm Atheros AR8152 (NDIS 6.30)
    - Beschreibung Qualcomm Atheros AR8152 PCI-E Fast Ethernet Controller (NDIS 6.30)
    - Typ Wired 802.3
    - MAC Adresse B8:70:F4:25:3E:7B
    - MTU 1500 Bytes
    - Operational Status Down
  - Network Interface 2
    - Freundschafts Name WLAN
    - Modell Qualcomm Atheros AR9285 Wireless Network Adapter
    - Typ Wireless Native 802.11
    - MAC Adresse D0:DF:9A:46:C4:97
    - MTU 1500 Bytes
    - Operational Status Up
    - TransmitLinkSpeed 65 Mbps
    - ReceiveLinkSpeed 130 Mbps
    - IPv4 Address 192.168.0.10 [desktop-uum0eul.hitronhub.home]
      - Subnet Maske 255.255.255.0
      - Valid Lifetime 604493 Sekunden
      - Preferred Lifetime 604493 Sekunden
      - Lease Lifetime 604949 Sekunden
      - Prefix Origin Dhcp
      - Suffix Origin Dhcp
    - IPv4 Standard Gateway 192.168.0.1
    - WINS eingeschaltet Nein
    - DHCP eingeschaltet Ja
      - IPv4 DHCP Server 192.168.0.1
      - Zulassung erhalten Wed Jul 20 12:03:19 2016
      - Zulassung läuft ab Wed Jul 27 12:03:19 2016
    - IPv4 Multicast Address 224.0.0.1
      - Multicast Address 224.0.0.251
      - Multicast Address 224.0.0.252
      - Multicast Address 239.255.255.250
    - IPv6 Adresse 2a02:810b:893f:fe64::2
      - Valid Lifetime 4956 Sekunden
      - Preferred Lifetime 2256 Sekunden
      - Lease Lifetime 5412 Sekunden
      - Prefix Origin Dhcp
      - Suffix Origin Dhcp
      - Duplicate Address Detection State Preferred

- IPv6 Adresse 2a02:810b:893f:fe64:9d:bce9:c1c7:130c
  - Valid Lifetime 5396 Sekunden
  - Preferred Lifetime 2696 Sekunden
  - Lease Lifetime 5849 Sekunden
  - Prefix Origin RouterAdvertisement
  - Suffix Origin LinkLayerAddress
  - Duplicate Address Detection State Preferred
- IPv6 Adresse fd00:8494:8c72:93b2:9d:bce9:c1c7:130c
  - Valid Lifetime 535424 Sekunden
  - Preferred Lifetime 401567 Sekunden
  - Lease Lifetime 535877 Sekunden
  - Prefix Origin RouterAdvertisement
  - Suffix Origin LinkLayerAddress
  - Duplicate Address Detection State Preferred
- IPv6 Adresse 2a02:810b:893f:fe64:fd1c:5c4f:4591:9a08
  - Valid Lifetime 5396 Sekunden
  - Preferred Lifetime 2696 Sekunden
  - Lease Lifetime 5849 Sekunden
  - Prefix Origin RouterAdvertisement
  - Suffix Origin Random
  - Duplicate Address Detection State Preferred
- IPv6 Adresse fd00:8494:8c72:93b2:fd1c:5c4f:4591:9a08
  - Valid Lifetime 535424 Sekunden
  - Preferred Lifetime 85605 Sekunden
  - Lease Lifetime 535877 Sekunden
  - Prefix Origin RouterAdvertisement
  - Suffix Origin Random
  - Duplicate Address Detection State Preferred
- IPv6 Adresse fe80::9d:bce9:c1c7:130c%17
  - Valid Lifetime infinite
  - Preferred Lifetime infinite
  - Lease Lifetime 203465 Sekunden
  - Prefix Origin WellKnown
  - Suffix Origin LinkLayerAddress
  - Duplicate Address Detection State Preferred
- Kennzeichen DDNS_ENABLED, DHCP_ENABLED, OTHER_STATEFUL_CONFIG
- Zone Infoif 17, link 17, subnet 17, admin 1, site 1, org 1, global 0
- IPv6 Standard Gateway fe80::8694:8cff:fe72:93b2%17
- IPv6 Multicast Address ff01::1%17
  - Multicast Address ff02::1%17
  - Multicast Address ff02::c%17
  - Multicast Address ff02::fb%17
  - Multicast Address ff02::1:3%17
  - Multicast Address ff02::1:ff00:2%17
  - Multicast Address ff02::1:ff91:9a08%17
  - Multicast Address ff02::1:ffc7:130c%17
- Wireless Information
  - Wireless SSID (Drahlosverbindung) HITRON-93B0
  - Netzwerk(Infrastruktur) Zugrifsspunkt
  - Netzwerkauthentifizierung WPA2-PSK
  - Verschlüsselung AES

- Verbindungs Modus Profil
- Profil HITRON-93B0
- Sicherheit Aktiviert
- 802.1X Deaktiviert

Network Interface 3

- Freundschafts Name Ethernet 2
- Modell TAP-Windows Adapter V9
- Typ Ethernet Adapter
- MAC Adresse 00:FF:A2:23:BB:84
- MTU 1500 Bytes
- Operational Status Up
- TransmitLinkSpeed 10 Mbps
- ReceiveLinkSpeed 10 Mbps
- IPv4 Address 169.254.123.55 [desktop-uum0eul]
  - Subnet Maske 255.255.0.0
  - Valid Lifetime infinite
  - Preferred Lifetime infinite
  - Lease Lifetime 203457 Sekunden
  - Prefix Origin Manual
  - Suffix Origin Manual
- IPv4 Standard Gateway
- WINS eingeschaltetNein
- DHCP eingeschaltet Nein
- IPv4 Multicast Address 224.0.0.1
  - Multicast Address 224.0.0.251
  - Multicast Address 224.0.0.252
  - Multicast Address 239.255.255.250
- Kennzeichen DDNS_ENABLED
- Zone Infoif 11, link 11, subnet 11, admin 1, site 1, org 1, global 0

Network Interface 4

- Freundschafts Name LAN-Verbindung* 2
- Modell Microsoft Wi-Fi Direct Virtual Adapter
- Typ Wireless
- MAC Adresse 12:DF:9A:46:C4:97
- MTU 1500 Bytes
- Operational Status Down