

Striker II Formula Series Motherboard Qualified Vendors List (QVL)

DDR2-1066 MHz capability

Size	Vendor	Chip No.	Chip Brand	SS/DS	Part No.	DIMM support		
						A*	B*	C*
512MB	KINGSTON	Heat-Sink Package	N/A	SS	KHX8500D2/512	V		
1024MB	MICRON	Z9JKJ	MICRON	SS	MT8HTF12864AY-1GA	V		
2048MB	MICRON	Z9JKJ	MICRON	DS	MT16HTF25664AY-1GA	V		
1024MB	CORSAIR	Heat-Sink Package	N/A	DS	CM2X1024-8500C5	V	V	
512MB	Kingston	Heat-Sink Package	N/A	SS	KHX8500D2/512	V		
512MB	Kingston	E5108AJBG-1J-E	ELPIDA	SS	KVR1066D2N7/512-ES	V		
1024MB	Kingston	E5108AJBG-1J-E	ELPIDA	DS	KVR1066D2N7/1G-ES	V		
512MB	Kingston	E5108AJBG-1J-E	ELPIDA	SS	KVR1066D2N7/512	V		
1024MB	Kingston	E5108AJBG-1J-E	ELPIDA	DS	KVR1066D2N7/1G	V	V	
2048MB	MICRON	Z9JKJ	N/A	DS	MT16HTF25664AY-1GA	V		
512MB	Hynix	HY5PS12821FFP-G7	HYNIX	SS	HYMP564U64FP8-G7	V		
1024MB	KINGMAX	KKA8FEIBF-HJK-18A	N/A	DS	KLED48F-A8KI5-EPA		V	
1024MB	Elixir	N2TU51280CE-BD	ELIXIR	DS	M2Y1G64TU8HC4B-BD	V		

DDR2-800 MHz capability

Size	Vendor	Chip No.	Chip Brand	SS/DS	Part No.	DIMM support		
						A*	B*	C*
512MB	KINGSTON	K4T51083QC	SEC	SS	KVR800D2N5/512	V	V	V
1024MB	KINGSTON	Heat-Sink Package	N/A	DS	KHX6400D2LL/1G	V	V	V
1024MB	KINGSTON	Heat-Sink Package	N/A	SS	KHX6400D2LLK2/1GN	V	V	V
1024MB	KINGSTON	V59C1512804QBF25	N/A	DS	KVR800D2N5/1G	V	V	V
1024MB	KINGSTON	Heat-Sink Package	N/A	SS	KHX6400D2ULK2/1G	V	V	V
2048MB	KINGSTON	Heat-Sink Package	N/A	DS	KHX6400D2ULK2/2G	V	V	
1024MB	Qimonda	HYB18T512800BF25F	N/A	DS	HYS64T128020HU-25F-	V	V	V
1024MB	Hynix	HY5PS12821CFP-S5	Hynix	DS	HYMP512U64CP8-S5	V	V	V
512MB	MICRON	D9GKX	N/A	SS	MT8HTF6464AY-80ED4	V	V	V
1024MB	MICRON	D9GKX	N/A	DS	MT16HTF12864AY-80E	V	V	V
1024MB	CORSAIR	Heat-Sink Package	N/A	DS	CM2X1024-6400C4	V	V	V
512MB	Crucial	Heat-Sink Package	N/A	SS	BL6464AA804.8FD	V	V	V
1024MB	Crucial	Heat-Sink Package	N/A	DS	BL12864AA804.16FD	V	V	V
1024MB	Crucial	Heat-Sink Package	N/A	DS	BL12864AL804.16FD3	V	V	V
1024MB	Crucial	Heat-Sink Package	N/A	DS	BL12864AA804.16FD3	V	V	V
1024MB	Apacer	Heat-Sink Package	N/A	DS	AHU01GE800C5K1C	V	V	V
512MB	A-DATA	AD29608A8A-25EG	N/A	SS	M2OAD6G3H3160G1E5		V	V
1024MB	A-DATA	AD26908A8A-25EG	N/A	DS	M2OAD6G3I4170I1E58	V	V	V
512MB	KINGMAX	KKA8FEIBF-HJK-25A	KINGMAX	SS	KLDC28F-A8KI5	V	V	V
1024MB	KINGMAX	KKA8FEIBF-HJK-25A	KINGMAX	DS	KLDD48F-ABKI5	V	V	V
512MB	Super Talent	Heat-Sink Package	N/A	SS	T800UA12C4			V
1024MB	Super Talent	Heat-Sink Package	N/A	DS	T800UB1GC4	V	V	
1024MB	NANYA	NT5TU64M8BE-25C	NANYA	DS	NT1GT64U8HB0BY-25C	V	V	V
1024MB	NANYA	NT5TU64M8CE-25D	NANYA	DS	NT1GT64U8HCOBY-25	V	V	V
512MB	PSC	A3R12E3HEF641B9A05	PSC	SS	AL6E8E63B8E1K	V	V	V
1024MB	PSC	A3R12E3HEF641B9A05	PSC	DS	AL7E8E63B-8E1K	V	V	V
256MB	TwinMOS	E2508AB-GE-E	ELPIDA	SS	8G-24IK2-EBT	V	V	V
1024MB	Elixir	N2TU51280BE-25C	Elixir	DS	M2Y1G64TU8HB0B-25C	V	V	V

DDR2-667 MHz capability

Size	Vendor	Chip No.	Chip Brand	SS/DS	Part No.	DIMM support		
						A*	B*	C*
512MB	KINGSTON	D6408TEBGGL3U	KINGSTON	SS	KVR667D2N5/512	V	V	V
256MB	KINGSTON	HYB18T256800AF3S	N/A	SS	KVR667D2N5/256	V	V	
256MB	KINGSTON	6SBI2D9DCG	MICRON	SS	KVR667D2N5/256	V	V	V
2048MB	KINGSTON	E1108AB-6E-E	ELPIDA	DS	KVR667D2N5/2G	V	V	V
256MB	Qimonda	HYB18T512160BF-3S	INFINEON	SS	HYS64T32000HU-3S-B	V	V	V
512MB	Qimonda	HYB18T512800BF3S	N/A	SS	HYS64T64000HU-3S-B	V	V	V
1024MB	Qimonda	HYB18T512800BF3S	N/A	DS	HYS64T128020HU-3S-B	V	V	
512MB	SAMSUNG	ZCE6K4T51083QC	SEC	SS	M378T6553CZ0-CE6	V	V	V
256MB	SAMSUNG	K4T51163QC-ZCE6	SAMSUNG	SS	M378T3354CZ3-CE6	V	V	V
512MB	SAMSUNG	K4T51083QC	SEC	SS	M378T6553CZ3-CE6	V	V	V
1024MB	SAMSUNG	ZCE6K4T51083QC	SEC	DS	M378T2953CZ3-CE6	V	V	V
256MB	SAMSUNG	K4T51163QE-ZCE6	SAMSUNG	SS	M378T3354EZ3-CE6	V	V	V
512MB	SAMSUNG	K4T51083QE	SAMSUNG	DS	M378T6553EZS-CE6	V	V	V
1024MB	SAMSUNG	K4T51083QE	SAMSUNG	DS	M378T2953EZ3-CE6	V	V	V
256MB	Hynix	HY5PS121621CFP-Y5	Hynix	SS	HYMP532U64CP6-Y5	V	V	V
1024MB	Hynix	HY5PS12821CFP-Y5	Hynix	DS	HYMP512U64CP8-Y5	V	V	V
512MB	CORSAIR	64M8CFEG	N/A	SS	VS512MB667D2	V	V	V
1024MB	CORSAIR	64M8CFEG	N/A	DS	VS1GB667D2	V	V	V
256MB	ELPIDA	E2508AB-6E-E	ELPIDA	SS	EBE25UC8ABFA-6E-E	V	V	V
512MB	ELPIDA	E5108AE-6E-E	ELPIDA	SS	EBE51UD8AEFA-6E-E	V	V	V
512MB	A-DATA	AD29608A8A-3EG	A-DATA	SS	M2OAD5G3H3166I1C52	V	V	V
1024MB	A-DATA	AD29608A8A-3EG	A-DATA	DS	M2OAD5G3I4176I1C52	V	V	V
2048MB	A-DATA	NT5TU128M8BJ-3C	N/A	DS	M2ONY5H3J4170I1C52	V	V	V
512MB	crucial	Heat-Sink Package	N/A	SS	BL6464AA663.8FD	V	V	V
1024MB	crucial	Heat-Sink Package	N/A	DS	BL12864AA663.16FD	V	V	V
1024MB	crucial	Heat-Sink Package	N/A	DS	BL12864AL664.16FD	V	V	V
1024MB	crucial	Heat-Sink Package	N/A	DS	BL12864AA663.16FD2	V	V	V
512MB	Apacer	AM4B5708GQJS7E0628	APACER	SS	AU512E667C5KBGC	V	V	V
1024MB	Apacer	AM4B5708GQJS7E	APACER	DS	AU01GE667C5KBGC	V	V	V
256MB	Kingmax	N2TU51216AG-3C	NANYA	SS	KLCB68F-36KH5	V	V	V
512MB	Kingmax	KKEA88B4LAUG-29DX	KINGMAX	SS	KLCC28F-A8KB5	V	V	V
1024MB	Kingmax	KKEA88B4LAUG-29DX	KINGMAX	DS	KLCD48F-A8KB5	V	V	V
512MB	Super Talent	Heat-Sink Package	N/A	SS	T6UA512C5	V	V	V
1024MB	Super Talent	Heat-Sink Package	N/A	DS	T6UB1GC5	V	V	V
2048MB	NANYA	NT5TU128M8BJ-3C	NANYA	DS	NT2GT64U8HB0JY-3C	V	V	V
512MB	NANYA	NT5TU64M8BE-3C	NANYA	SS	NT512T64U88B0BY-3C	V	V	V
512MB	PSC	A3R12E3GEF637BLC5N	PSC	SS	AL6E8E63B-6E1K	V	V	V
1024MB	PSC	A3R12E3GEF637BLC5N	PSC	DS	AL7E8E63B-6E1K	V	V	V
512MB	TwinMOS	TMM6208G8M30C	TwinMOS	SS	8D-23JK5M2ETP	V	V	V

A* : Supports one module inserted in any slot as Single-channel memory configuration

B* : Supports one pair of modules inserted into either the blue slots or the white slots as one pair of Dual-channel memory configuration

C* : Supports 4 modules inserts into both blue and white slots as two pairs of Dual-channel memory configuration

)

